


Installation manual for: 3500D9C

Dimensions :D20" H9.2"

Bulb Type: LED PCB 45W 3000K Collection: Polaris

Total Weight: 25.5LBS



Thank you for choosing our product(s)

production. Our Company is actively involved in every step of the

application that graces your home or business. Our product(s) are designed to be utilized for every

service to all of the valued customers. We pride ourselves in providing the most prompt and courtesy

assisting you, please call our toll free HOTLINE AT: our professional customer service team is committed to carefully for proper installation. If you have any questions, Please find the enclosed detailed instructions and read

1-888-388-3390 (L) (W)



SAFETY

Warning: MAKE SURE THE ELECTRICITY TO THE WIRES YOU ARE WORKING ON IS SHUT OFF. BY EITHER REMOVING THE FUSE OR TURNING OFF THE CIRCUIT BREAKER.

CAUTION

- Before assembling the lighting fixture, please read all instructions carefully.
- All frame & crystal components are fragile, please handle with care.
- Required supply circuit : 110 130V/60Hz
- Labeled wires are "L" for live wire, "N" for neutral wire, "E" for ground wire.
- Never install fixture on damp ceiling, the room should be dry and well ventilated
- All electrical components must be installed by a licensed electrician and in accordance with the National Electrical Code and the appropriate local electrical codes.

Unpack the Package

Please open the box carefully and check all the items are inside the box. If you have any installation, assembling and missing parts questions, please call our Customer Service department at 1-888-388-3390. Please have model number (at the front page), where you purchase from and any other relevant information ready, our customer service team will provide comprehensive and worry free service to our valued customers.




3500D9 D20" H9. 2" L1

Step 1
Please use the parts list to ensure you are not missing any parts.

9205D18 PARTS LIST

	18	M4*8 screw	-	P15
	9	012*H13 wire fixer	D	P14
	9	0.3mm ² x3.2m electrical wire	_0	P13
	9	M10*20 connector	τ ι	P12
	4	M5 screw cap		P11
	1	stainless steel plate		P10
	1	canopy		P09
	9	screw pad	H	P08
	9	M10*T5 nut	8	P07
	1	dimmable LED driver		P06
	4	M4*40 screw	Эхишихих	P05
	3	M4*32 screw	Эленням	P04
	4	5*50 bracket screw		P03
	1	cross bracket	X	P02
	1	round bracket		P01
Check list	Qty	Description	Picture	Part #

	8	012 metal pad	0	P27
	4	M5 nut	0	P26
	4	plastic anchor screw	Georgia	P25
	108	30*75 polyhedron crystal		P24
	9	stainless steel crystal fixer	0	P23
	18	05.3*10 steel pipe with thread inside	0	P22
	9	stainless steel crystal fixer	0	P21
	18	M4*25 threaded rod	I	P20
	9	M10*10 plastic screw	(=	P19
	36	05.3*65 steel pipe with thread inside		P18
	18	LED PCB(lighting source)		P17
	18	stainless steel crystal fixer	(0)	P16
Check list	Qty	Description	Picture	Part #






Installation:

Please read all instructions carefully, before you proceed to install. Make sure that the power supply is turned off and remained off until the installation is completed. Please note that each step has been assigned a number. Please proceed following the numerical order.

- 1. drill two holes on the ceiling and put the P25 into the holes;
- 2. assembly the braket with P01, P02, P03, P26 and P27;
- 3. install the bracket on the ceiling with P05;
- 4. connect the wires to electrical network;
- 5. assembly the light to the bracket with P11;
- . adjust the wire of the length;

Step 2 Canopy Installation Instruction



Congratulations!

You are now done installing your Elegant lighting fixture. Sit back and admire each crystal as it will become the statement piece for your room/house.

If you require any additional assistance, please contact us at 1-888-388-3390.

Thank you!

Cleaning and Maintenance Instruction

The frame and canopy surface is stainless polished. Please use a clean, soft and dry cloth to clean. Do not use any hard object or tools to scratch on the surface of the metal. Failure to follow these instructions automatically voids the guarantee.

Cleaning and Maintenance of Crystals

Wet a soft cotton fabric in clean warm water and wipe gently, then polish with a dry soft cotton fabric.

To Order Replacement Parts

Please contact the store where the product was purchased or contact us at the address shown on the reverse side. For ease of ordering, you may use the original parts list, indicating the model number, part number and quantity and faxing it to our customer service department at 215-423-8882. You will be contacted with prices prior to shipment. All orders must be pre-paid.

Elegant Lighting Warranty

or fixture are warranted for a period of two replace any frame that has a defect in the company will, at its option, repair or The finish and frame of your new chandelier (2) years from the date of purchase. Our

quality during the life of the chandelier. crystals are guaranteed for their original workmanship during the warranty period. All Breakage is not covered by this warranty.

materials or

sent to you with specific instructions address and phone number shown below. A our customer service department at the written return authorization form will be To make a claim under this warranty, contact

CUSTOMER SERVICE DEPARTMENT

500-550 E. Erie Avenue Philadelphia, PA 19134

Tel: 215-423-8880

Fax: 215-423-8882

Returns and Conditions of Warranty

implied and any and all other obligations or modified, nor shall it apply to any product that has nature of any defect. This guarantee shall not apply to shipping charges pre-paid. We reserve the right to customer service department at the address on the liability in connection with the sale of our products. any other person or firm to assume for us, any liabilities. Further, we neither authorize nor all other guaranteed or warrantee, whether written or procedures. This guarantee is issued in lieu of any and follow the recommended maintenance or installation by others, nor for damages resulting from a failure to damage incurred during improper installation or wiring handling. Also, we will not be held responsible for subject to misuse, negligence, accident or inappropriate for crystal parts or metal frame part that have been any breakage or damages incurred during transit, nor pre-authorized facility. We will not be responsible for been repaired or altered by anyone other than a any product that has been changed, altered or otherwise inspect all returned merchandise to fully determine the written return merchandise authorization and return reverse side. Returns will only be accepted with a Returns must be pre-authorized by contacting our